

STP025-120系列

产品特性：

热保护器：带热保护器（单相机）

绝缘等级：F级

防护等级：IP55

工作条件：

介质温度：5~50℃

环境温度：≤50℃


最大工作压力：0.3MPa




技术参数列表

型 号 Model	最大流量 Qmax (l/min)	最大扬程 Hmax (m)	电压/频率 V/Hz	输入功率 Power(P ₁)		电流 (Amps)	接头尺寸 Fitting size (mm)	重量 (Kg)	包装尺码 Packing size (mm)	装柜数量 (Qty/20')
				kW	HP					
STP25	140	5	220-240/50	0.18	0.25	0.9	48.5or50	6	475×195×295	1061
STP35	160	8	220-240/50	0.25	0.35	1.6	48.5or50	6.5	475×195×295	1061
STP50	210	11	220-240/50	0.37	0.5	2.0	48.5or50	7	475×195×295	1061
STP75	240	10.5	220-240/50	0.55	0.75	3.2	48.5or50	8.8	495×195×295	1018
STP100	275	11	220-240/50	0.75	1.0	3.8	48.5or50	9.5	495×195×295	1018
STP120	300	13	220-240/50	0.9	1.2	4.6	48.5or50	9.8	495×195×295	1018

性能曲线




安装外形图



型号 Model	L
STP25	443
STP35	443
STP50	443
STP75	465
STP100	465
STP120	465

产品应用



海水养殖循环过滤
Mariculture circulation filter




泳池循环过滤
Recirculation of water in
swimming pool equipment

产品爆炸图

序号 NO.	名称 Name
1	接头螺母 Tie-in Nut
2	接 头 Tie
3	O形圈 O-Ring
4	放水螺塞 Drainage Plug
5	O形圈 O-Ring
6	六角头螺栓和平垫圈组合件 Hexagon head bolt and plain washer assembling
7	泵 盖 Pump Cover
8	滤 篮 Filter
9	透视盖胶垫 Transparent cover pad
10	透视盖 Transparent Cover
11	透视盖手柄 Transparent cover handle
12	O形圈 O-Ring
13	盖 板 Cover panel
14	十字槽盘头自攻螺钉 Cross recessed pan head tapping screws
15	叶 轮 Impeller

序号 NO.	名称 Name
16	机械密封 Mechanical seal
17	泵 壳 Pump Casing
18	电 机 Motor
19	底板胶条 Block Gine
20	六角头螺栓 Hexagon bolt
21	平垫圈 Washer
22	底 板 Foot





STP150-300系列

产品特性：

热保护器：带热保护器（单相机）

绝缘等级：F级

防护等级：IP55


工作条件：



介质温度：5~50℃

环境温度：≤50℃


最大工作压力：0.3MPa

型 号 Model	最大流量 Qmax (l/min)	最大扬程 Hmax (m)	电压/频率 V/Hz	输入功率 Power(P ₁)		电流 (Amps)	接头尺寸 Fitting size (mm)	重量 (Kg)	包装尺码 Packing size (mm)	装柜数量 (Qty/20')
				kW	HP					
STP150	430	16.5	220-240/50	1.1	1.5	5.8	60.3or63	14	605×305×350	449
STP200	520	18	220-240/50	1.5	2.0	7.0	60.3or63	15.5	605×305×350	449
STP250	600	19	220-240/50	1.85	2.5	8.5	60.3or63	16.5	605×305×350	449
STP300	635	19.5	220-240/50	2.2	3.0	10	60.3or63	18	630×305×350	431





型号 Model	L
STP150	573
STP200	573
STP250	573
STP300	598



海水养殖循环过滤
Mariculture circulation filter



泳池循环过滤
Recirculation of water in
swimming pool equipment

序号 NO.	名称 Name
1	接头螺母 Tie-in Nut
2	接 头 Tie
3	O形圈 O-Ring
4	放水螺塞 Drainage Plug
5	O形圈 O-Ring
6	六角头螺栓和平垫圈组合件 Hexagon head bolt and plain washer assembling
7	泵 盖 Pump Cover
8	滤 篮 Filter
9	O形圈 O-Ring
10	透视盖 Transparent Cover
11	透视盖压盖 Gland Cover
12	O形圈 O-Ring
13	叶 轮 Impeller
14	机械密封 Mechanical seal
15	泵 壳 Pump Casing

序号 NO.	名称 Name
16	电 机 Motor
17	底板胶条 Block Gine
18	六角头螺栓 Hexagon bolt
19	平垫圈 Washer
20	底 板 Foot

